

Pharmaceutical classification	Over the counter drug
Medicinal effect classification	Oral antihemorrhoidals
product name	内服用ジーフォー G4 FOR ORAL USE
Product features	White film-coated tablet effective against hemorrhoids, anal fissures, and bleeding.
Indication	hemorrhoidal polyps, hemorrhagic hemorrhoids, hemorrhoidal bleeding
Dosage and administration	< Age: single dose: number of daily doses > Adult (15 years old and over): 2 tablets: 2 times Under 15 years old: Do not take
Precautions of Dosage and Administration	Strictly follow the prescribed dosage and administration.
Ingredient and amount	In 4 tablets Carbazochrome : 6mg : Effective against bleeding hemorrhoids. Vitamin B2 : 12mg : Helps regulate mucous membrane in the area affected by hemorrhoids. Tocopheryl acetate : 100mg : Improves blood circulation and is effective in recovery from hemorrhoids. Horse chestnut extract : 120mg : Extracted from the seeds of horse chestnut, this product promotes blood circulation in the vessels of the anal region and improves hypostasis (accumulation of blood). Otsujito with jujube extract : 750mg : Effective against hemorrhoids and anal fissures.  <Precautions relating to ingredient and amount > Urine may turn yellow when taking this product as it contains vitamin B2.
Precautions	<p>■When not to use the product (If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur.) Nursing women should either not take this medicine or stop nursing while taking this medicine.</p> <p>■Consultation 1. The following persons should contact a physician, pharmacist, or registered salesperson for a consultation before administration. (1)Patients undergoing medical treatment from a physician (2)Pregnant women or women suspected of being pregnant (3) Patients who have experienced allergic symptoms associated with drugs, etc. (4)Persons with the following symptoms: diarrhea 2. If the following symptoms are observed after taking this drug, these may be adverse reactions, so immediately discontinue the use of this drug, and show this document to your physician, pharmacist, or registered salesperson for a consultation. &lt;Related parts : Symptoms&gt; Skin : rash/redness, itching Gastrointestinal system, loss of appetite, nausea and vomiting, abdominal pain 3. The following symptoms may be observed after taking this drug. If these symptoms persist or worsen , discontinue the use of this drug, and show this document to your physician, pharmacist, or registered salesperson for a consultation. diarrhea 4. When symptoms do not improve even after taking the preparation for about 1 month, stop taking the medicine and consult a physician (dentist), pharmacist or registered salesperson, being sure to take this instruction leaflet with you.</p>
Additive	Silicon dioxide, aluminum silicate, CMC calcium, cellulose, reduced maltose syrup, hydroxypropyl cellulose, lactose, magnesium aluminometasilicate, magnesium stearate, hypromellose, talc, titanium oxide
Precautions for storage and handling	(1) Store in a cool, low humidity place away from direct sunlight. (2)Keep out of reach of children. (3)Do not transfer the medicine to a different container. (It may lead to misuse or alter the quality of the drug.) (4)Do not take the product after its expiration date.
Other	< Advice to get better quickly > (1) After defecation, try to keep the affected area clean by wiping with wet gauze or bathing frequently. (2) Pay attention to your diet and try not to have constipation or diarrhea. (3) Avoid keeping a posture that tends to cause congestion in the affected area, such as sitting down or crouching, for long periods of time. (4) Alcoholic drinks or foods with hot spices may worsen symptoms, so moderate as much as possible.

Manufacturing and sales company	Sato Pharmaceutical Co., Ltd. 1-5-27 Moto Akasaka, Minato-ku, Tokyo
Risk category	Category 2 OTC medicine
Disclaimer on Multilingual Product Information	<ul style="list-style-type: none"><li>• This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.</li><li>• Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.</li><li>• Multilingual product information is a tentative translation by Our Company, and may be modified or altered without notice.</li><li>• Our Company assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.</li></ul>